DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes on hard, non-porous surfaces: Burkholderia cepacia, Campylobacter jejuni, Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterobacteriaciae with extended beta-lactamase resistance. Enterobacter cloacae. Enterococcus faecalis. Enterococcus faecium Vancomycin Resistant, Escherichia coli, Escherichia coli 0157:H7, Klebsiella pneumoniae, Klebsiello pneumoniae (Antibiotic Resistant), Legionello pneumophila, Listeria monocytogenes, Proteus mirabilis, Proteus vulgaris, Pseudomonas aeruginosa, Pseudomonas aeruginosa (Antibiotic Resistant), Salmonella enterica, Salmonella schottmuelleri, Salmonella typhi, Serratia marcescens, Shigella dysenteriae, Shigella flexneri, Shigella sonnei, Staphylococcus aureus, Staphylococcus aureus (CA MRSA), Staphylococcus aureus (MRSA), Staphylococcus aureu epidermidis (Antibiotic Resistant), Streptococcus pyogenes, Vibrio cholerae.

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes on hard, non-porous

surfaces: Avian Influenza A/Turkey/Wisconsin Virus, Avian Influenza A (H5N1) Virus, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, Human Immunodeficiency Virus Type 1‡ (HIV-1) (AIDS Virus), Hepatitis C Virus, Hepatitis B Virus, Human Coronovirus, Influenza A/Brazil Virus, Influenza A (H1N1) Virus, Respiratory Syncytial Virus, Vaccinia Virus, #Indicates a 2-minute contact time is required for this claim.

MILDEWSTATIC PERFORMANCE: This product controls the following mold on hard, non-porous surfaces:

Asperaillus niger. FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes on hard, non-porous surfaces: Candida albicans, Trichophyton mentagrophyte

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Rinse hard, non-porous food contact surfaces with potable water after application of product. Before using this product, food products and packaging materials must be removed from the room or carefully

This product is not for use on medical device surfaces.

FOR USE AS A GENERAL, HOSPITAL DISINFECTANT, VIRUCIDE*, DEODORIZER, CLEANER: 1. Pre-clean heavily soiled areas. 2. Apply this product undiluted to disinfect hard, non-porous surfaces with a sponge, brush, cloth, auto scrubber, mechanical spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain wet for 10 minutes. 4. Wipe dry or allow to air dry. 5. Chanae solution daily or when visibly dirty.

*KILLS HIV. HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (associated with AIDS), Hepatitis B Virus, and Hepatitis C

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Wear protective latex gloves, gowns, masks and eve protection.

Cleaning Procedure: Blood and other body fluids containing HIV-1, HBV & HCV must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product.

Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: Allow hard, non-porous syrface to remain wet for 2 minutes to kill HIV and for 10 minutes to kill

all other viruses and bacteria listed on the label. TO KILL FUNGI: Pre-clean heavily soiled surfaces. Apply product undiluted to hard, non-porous surfaces. Allow

surface to remain wet for 10 minutes. Wipe surfaces (and let air dry). TO CONTROL MOLD/MILDEW: Apply product undiluted to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.



NON-ACID DISINFECTANT **CLEANER**

Disinfectant, Cleaner, Mildewstat, Fungicide, Virucide*, Deodorizer

For use on hard, non-porous surfaces in:

· Hospitals, nursing homes, restaurants and bars, institutional facilities, factories, office buildings, restrooms, hotels and motels, schools and colleges, dormitories, health clubs, athletic facilities and locker rooms.

This product can be used on washable, hard, non-porous surfaces such as: •Countertops, sinks, tub surfaces, metal, stainless steel, shower stalls, toilets, urinals, glazed porcelain, chrome and vinyl.

ACTIVE INGREDIENTS:



Alkvl (50%C14, 40%C12, 10%C16) OctvI decvI dimethyl ammonium chloride......0.026% Dioctyl dimethyl ammonium chloride......0.013% OTHER INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements and first aid.

Creative Chemicals, Incorporated P.O. Box 2404 • Holyoke, MA 01041

NET CONTENTS: 1 U.S. Ouart

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANING DIRECTIONS: Remove heavy soil prior to disinfection. Empty water out of toilet bowl or urinal and add 1-2 oz. of this product to exposed surfaces, including under the rim with a toilet brush, cloth, or sponge, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Brush or swab thoroughly, then allow solution to stand for 10 minutes and flush

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE, OPEN AREAS WITH FLOOR DRAINS: 1 Pre-clean heavily soiled areas. 2. Apply product undiluted to hard, non-porous surfaces including floors, walls and ceilings making sure not to over spray. To disinfect, hard, non-porous surfaces must remain wet for 10 minutes. 3. Scrub using a deck brush or other coarse material as necessary. 4. Rinse surfaces thoroughly and let air dry. 5. Change solution when visibly dirty.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eve irritation. Harmful if swallowed or absorbed through the skin. Avoid contact with eves. skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and freshwater aquatic invertebrates.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

EPA Reg. No. 10324-85-15567

EPA Est. No. 15567-MA-1